yacht@abyacht.com

Whats App + 33 611 354 611 + 44 1414 160 507

Brokerage, New construction, Conversion, Refitting, management, Flag, Charter. Refit, Surveyor, Commercial vessel, Xbow commercial vessel.



Management and companies

Euro Flag Management, crew : Madeira Free zone Portugal, Malta,

France, UK, Luxembourg, Italy.

Jorge Rodrigues: Madeira Portugal

+351 916 415 214 WhatsApp Email:

jorgerodrigues-316m@adv.oa.pt

Foutaine Pajot Alegria 67 2024

Asking Price 3.580.000 € vat not paid.



Model: Alegria 67, 5 staterooms

Hull shape: Catamaran
Builder: Foutaine Pajot

Designer: Berret-Racoupeau yacht design

 Built year :
 2024

 LOA :
 20.46 M

 Beam :
 9.84 M

Draft: 1.70 M

Class: UE Certificate class Unlimited ocean Cat A 16 pax

Engines: Yanmar 170 HP X 2

Rope cutter: Yes

MAIN CHARACTERISTICS

Builder: Fountaine Pajot (France) Model: Fountaine Pajot Alegria 67

Naval Architect: Berret-Racoupeau Yacht Design Designer: Berret-Racoupeau Yacht Design

Type: Sailing Catamaran / Multi-hull

Hull Construction: GRP Decks: Synthetic Teak Year: 2024 (New)

Length Overall with Bowsprit: 20.46 m (67'1")

Hull Length: 19.49 m (63'11") Beam Overall: 9.84 m (32'3")

Draft: 1.70 m (5'7")

Displacement Unloaded: 35,000 kg (77,162 lb) Approx. UE Certification: Cat A 16 pax

Location: La Rochelle, France

CONSTRUCTION

Hull and deck are built using infusion process with high quality anti osmotic polyester resin on balsa core E-glass fiberglass skins

Infusion moulding on balsa, PVC and PET core for the structural bulkheads Grey top coated bilges

White gelcoat deck with built in anti-skid surface

GRP keels bonded into keel boxes, anti-flooding system in case of going aground

SAIL AREA

Main Sail: 133 m2 (1,430 ft2)

Genoa Area: 97 m2 (1,040 ft2)

Gennaker: 100 m2 (1,076 ft2)

Rigging and sails

2 x Lazy-jacks

2 x Flag halyards

Mainsail halyard at the helm station

Reef lines at the helm station

Jammers on all halyards, reef lines and topping lift

Anodized aluminium mast and boom

Full standing rigging

1 x Mainsail halyard, twin-thread low-stretch cover

1 x Gennaker on electric furler

1 x Staysail on electric furler

1 x Genoa halyard

- 1 x Spinnaker halyard
- 1 x Boom toping lift
- 3 x Reef lines

SAILS

Fully-battened mainsail, 3 reef lines and ball bearing traveller Genoa on electrical roller furler with remote control at helm station

PROPULSION

Type / Fuel: Twin Diesel

Main Engines: 2 x 170 Hp YANMAR 4LV170

Cruise Speed: 9 knots (est.)
Maximum Speed: 11 knots (est.)

High-resistance stainless steel direct transmission shafts

V-shaped shaft bearing bracket 2 x 3-blade fixed propellers

Ventilation with fans

Complete control panels and dual engine controls at helming station Diesel Circuit

2 x 700 l Diesel tanks with direct filling by plug-hole on the deck Electrical gauge with indicator

at chart table

Diesel shut-off valves

Diesel filtering

Diesel water filtering

TANKAGE

Fuel Capacity: 1,400 l (370 US Gallons)

Fresh Water Capacity: 1,050 l (278 US Gallons)

ACCOMMODATION

10 Guests in 5 en-suite cabins Guest Cabin Configuration:

Port hull with 3 en-suite double cabins

Starboard hull with en-suite double cabin aft and large en-suite Master cabin fore Crew

Accommodation:

Port & starboard peak crew cabins for 2/3 not fitted but recommended

(See detailed descriptions below)

PLUMBING

Freshwater 1050 l tank with 1 electric gauge (indicator at chart table) Electric pump and pressure accumulator

Dockside intake for direct connection to fresh water supply

2 x 75 l water heaters

1 x Electrical bilge pump in each engine room

1 x Independent electrical bilge pump in each hull

4 x Automatic starting for bilge pumps with audible and visual alarm at the chart table 2 x Handoperated external drying out pumps

Grey water control with automatic pumps

1 x Central holding tank for black water

ELECTRICAL EQUIPMENT

Underway, running and anchorage lights

Power Circuits:

1 x Port engine battery 12V + 1 x starboard engine battery 12V

2 x Engine alternators 12V recharging these 2 engine batteries

Back-up manual connection between both sets of engine batteries

1 x Set of batteries for onboard energy supply 24V - 900 Ah

2 x Engine alternators 24V recharging the set of batteries for the energy supply onboard

Distribution 24V:

Multiplexed distribution of 24V functions

Function control panel at the chart table: 7" tactile colour screen 2nd control panel for main functions

Monitoring for tanks, batteries, alarms

Free sockets for other equipment

SALOON (GALLEY UP OPTION)

General:

Saloon access through one sliding door

Front door for access to forward cockpit

Panoramic view through picture windows and aft facing portholes

Galley Area:

Galley with large working top

Double stainless-steel sink

1 x Bin

Hot and cold pressurized water

1 x Hob gas 5 burners

1 x Gaz stainless-steel oven

Fridge 130 l

Freezer 90 l

In port companionway fridge 210 l + freezer 95 l

Storage cupboards

Space allowed for a large dishwasher (12 place settings)

Space allowed for microwave oven

Lighting by embedded LED spotlights

Saloon Area:

1 x Coffee table

1 x Sofa

Storage volume

Furniture for TV

Lighting by embedded LED spotlights

Chart Table Area and Sofa:

Wooden chart table

Console for electrical panel and navigational instruments Navigation seat

Lighting by reading light

Cupboards

Large sofa

PORT HULL (GALLEY UP OPTION)

Access to port hull by 1 companionway in the saloon and 1 companionway in the aft deck Aft Cabin:

Cabin with double bed (1.60/2.00m approx.) Bedside cabinet

Cupboards and wardrobe

Large picture-window on hull side with blind Ventilation via a deck hatch + 1 porthole Blind and flyscreen on the deck hatch

Main lighting by embedded LED spotlights and 2 bedside reading lights

Lining covered ceilings Aft Bathroom:

Private access from the cabin

Countertop with washbasin

Mirror

Shower cabin with automatic drainage of the grey water Marine toilet

Bathroom accessories

Ventilation via 1 deck hatch Lighting - waterproof LED spotlights Cupboard under washbasin

Middle Cabin:

Double bed (1.60/2.00m approx.) Bedside cabinet

Drawer under the bed Cupboards and wardrobe

Large picture-window on hull side with blind

 $Ventilation\ via\ a\ deck\ hatch+1\ porthole$

Blind and flyscreen on the deck hatch

Main lighting by embedded LED spotlights and 2 bedside reading lights Lining covered ceilings

Middle Bathroom:

Private access from the cabin

Countertop with washbasin

Mirror

Shower cabin with automatic drainage of the grey water Marine toilet

Bathroom accessories

Ventilation via 1 deck hatch

 ${\it Lighting-water proof LED spotlights}$

Cupboard under washbasin

Companionway: Cupboards

Wooden staircase

Lighting by embedded LED spotlights

Forward Cabin:

Access via a wooden door from the companionway Double bed (1.60/2.00m approx.)

Bedside cabinet

Drawer under the bed

Cupboards and wardrobe

Large picture-window on hull side with blind

Ventilation via a deck hatch + 1 *porthole*

Blind and flyscreen on the deck hatch

Main lighting by embedded LED spotlights and 2 bedside reading lights Lining covered ceilings

Forward Bathroom:

Private access from the forward cabin

Countertop with washbasin

Mirror

Shower cabin with automatic drainage of the grey water Marine toilet

Bathroom accessories

Ventilation via 1 deck hatch

Lighting - waterproof LED spotlights

Cupboard under washbasin

Fore Peak:

Access through large deck hatch

STARBOARD HULL

Access to starboard hull by 1 companionway in the saloon and 1 companionway in the cockpit Aft Cabin:

Access via a wooden door from the aft companionway Double bed (1.60/2.00m approx.)

Bedside cabinet

Drawer under the bed

Cupboards and wardrobe

Large picture-window on hull side with blind

 $Ventilation\ via\ a\ deck\ hatch+1\ porthole$

Blind and flyscreen on the deck hatch

Main lighting by embedded LED spotlights and 2 bedside reading lights Lining covered ceilings

Aft Bathroom:

Private access from the cabin

Countertop with washbasin

Mirror

Shower cabin with automatic drainage of the grey water Marine toilet

Bathroom accessories

Ventilation via 1 deck hatch

Lighting - waterproof LED spotlights

Cupboard under washbasin

Owner's Suite:

Access to Owner's suite from the saloon and from the front cockpit companionway King-size island bed $(1.80 \times 2.00 \text{ m approx.})$

Drawer below the bed with frontal access

Bedside shelves

Cupboards and wardrobe

Large picture-window on hull side with blind

Ventilation via a deck hatch + 1 *porthole*

Blind and flyscreen on the deck hatch

Lining covered ceilings

Main lighting via LED spotlights & 2 berth lights

Clothes hooks

Office Area:

Desk with cabinet for storage + space for optional TV lift 1 x Seat

Cabinet for TV

Main lighting via LED spotlights & 1 berth light

Lining covered ceilings

Lounging Area: Sofa Bookshelves

Main lighting via LED spotlights Lining covered ceilings

Owner's Bathroom: Large wardrobe

2 x Washbasins with worktop

Mirror with shelf

Ventilation via 1 deck hatch

Separate toilet accessed through wooden door Hot and cold freshwater system from mixer faucet Shower separated via a Plexiglas panel

Electric drainage pump for greywater

Mixing valve tap for shower

Large marine toilet

Storage closet with shelves under the worktop Clothes hooks

Ventilation thanks to 1 deck hatch

Lighting via LED spotlights

Fore Peak:

Access through large deck hatch

FLYING BRIDGE

Surface: 32 m2

Access through teak and stainless-steel staircase

PMMA hatch

Starboard Side: Helm station with 2 places seat, steering and instruments console, engine

throttles and control panels, 360 ° view

Port Side: Helm station with 2 places seat, steering. console for instruments, 360 ° view

Manoeuvring station with 4 winches for mainsail, genoa sheet, reefing lines etc...) Saloon area (8

places) with table Sofa

Area for Galley furniture

2 x Large sun beds with central access

Central aft deck

Large aft deck: Circulation without threshold towards the saloon

Access via the transom platforms

GRP Bimini protecting all the cockpit

Aft, 4 seats transom sofa with 1 large storage locker

Starboard side, large sofa with 1 storage locker

Port side, large 'L' sofa with 1 storage locker

1 x Teak aft deck table with a capacity of 12 places

Starboard side space available for 65 l cockpit fridge, Option and for plancha 1 x Gas chest

1 x Locker under cockpit floor

2 x Side windscreens

Lighting via spotlights

Bow deck

2 x Large lockers with hatch

1 x Large mooring locker

2 x Areas for sunbeds (or optional Jacuzzi)

TECHNICAL HOLDS AFT

Accessed through polyester locker cover on jack in the cockpit 1 x Socket Light bar lighting
Access to the main engines
Engine compartments with sound insulation

DECK EQUIPMENT

Mainsail and genoa jib

Deck gear centralized at the helm station

1 x Self-tailing winch for mainsheet

Line driver for mainsheet traveller

1 x Self-tailing winch for mainsail halyard and genoa roller furler 2 x Self-tailing winches for genoa sheets

1 x Mainsheet tackle

1 x Jammer for mainsheet

1 x Mainsail ball-bearing sheet traveller

2 x Traveller trimming tackle on jammers

Genoa track traveller with lead block

OTHER EQUIPMENT

Hydraulic helming system with leather covered steering wheel helm, hand pump, 2 jacks Emergency steering gear

1 x Steering compass

3 x Winch handles + 3 pockets

1 x 2000W / 24V electric windlass

Pushpits and pulpits, stanchions with upper and lower guardrails $2 \times Pulpits$ with Swedish seatings

2 Teak battened aft transom lower platform

1 x Swim ladder + 1 hot / cold water shower in the starboard transom 8 x Mooring cleats (2 foredeck + 2 middle + 2 aft + 2 astern)

OPTIONS INCLUDED

Galley up and double port mid cabin Double port aft cabin

Comfort Version Including:

Curtains in cabins

Mooring kit + 6 fenders

Genoa electrical furler

CST mainsail full batten

Lazy jack

Electrical windlass 2000 Watts

1 x Electrical winch for main halyard Two pulpit seats

Hot/cold water on 1 deck shower

Dralon protective cover for wheel Multipexage monitor 7"

VHF mast head antenna prewired

Lazy bag

Outdoor cushions

Interior courtesy lighting

Exterior courtesy lighting

2 x Genoa electric winches

1 x Main sheet electric winch Pressurized seawater system (2 outlets) Main grid 220V 50Hz or 220V 60Hz Charger/inverter 5000W/120A 50/60Hz Additional electric freshwater pump Audio & Video pack saloon

Flying bridge Hi-Fi + 4 speakers

Solar panels 3 x 170 W

Galley furniture on flying bridge

Propulsion:

YANMAR engine throttle aft deck porside 1 x Bow thruster in starboard hull 24V Diesel transfer pump

Interior Equipment:

Chef tap in the galley

Combination locking safe (x 5 in each cabin)

Port fore peak crew cabins not fitted (recommended bed + head + air conditioning)

Saloon curtains pleated blinds - Colour: White

Electrical saloon coffee table convertible into a dinner table Additional electric freshwater pump

Exterior Equipment:

Flanelle outdoor canvas

Colour: Sunt flanelle Cockpit sun awning

Fixed flydeck bimini

Cockpit tent

Sun awning on the foredeck saloon

Aft deck table (not foldable)

Galley furniture on flybridge

Synthetic teak aft deck floor

Synthetic teak bow deck

Sail

Synthetic teak on side decks

Synthetic teak on flydeck

Side gates on port and starboard 2 x aft deck fridges 65 l

Icemaker (aft deck)

Fridge 65 l on the flying bridge

Gas plancha

Bow deck Jacuzzi for two with heater

Electronics & Entertainment Equipment:

Pack GARMIN 3 SAIL: 3 screens 17" -Port and starboard helm stations + chart table

2 x Aft cameras (Req. Pack Garmin 3)

Forward scan GARMIN PS 51-TH (Req. Pack Garmin 3)

Radar

Audio & Video pack saloon galley up (TV 50") (TV system PAL & SECAM)

Hi-Fi video pack for Owner's cabin (TV 40") (TV PAL & SECAM)

Household Equipement

Additional 220V 130 l fridge for galley up

Sink grinder

Washing machine 7 kg 220V - 50 Hz only in engine room Dryer 8 kg 220V - 50Hz in engine room Wine cellar for 23 bottles

5 x Fresh water electric heads in all guest cabins Mechanical ventilation for all cabins

Grey water tank

Full air conditioning

Electricity & Lighting:

Underwater lighting 2 x 80 W Solar panels 3 x 170 W Additional shore plug 220V-60Hz Additional AGM battery 24VA 150Ah Generator 17 kW 220V 50Hz

Pre-installation of watermaker

Deck Equipment:

Gennaker - colour grey

Staysail on electric furler

Canoë boom with lazy bag

Gennaker furler and gear

2 x Rope cutters for 40mm shaft

Windlass control on helm station

Enlarged version Tenderlift hydraulic platform (450 kg max) with dinghy removable brackets Antifouling, primary epoxy

2 x Aft capstans

2 x Bow capstans

Fog horn - 2 control stations

Delivery Services:

Boat preparation and coaching Exportation

With a fast order, some options and Owner preferences (décor, layout, upgrades), can still be modified. Proposed Upgrades are (in addition)*:

Port fore peak fitting out (bed + head) + air conditioning for + \in 22,412 Starboard fore peak fitting out (bed + head) + air conditioning for + \in 22,412 45 l Combination microwave oven (50/60Hz) for + \in 1,866 Dishwasher 12 place settings for + \in 2,489 Safety equipment without liferaft + 2 x MP8 container liferafts for + \in 10,444

*These additional options can be ordered from factory 12 weeks before delivery or retrofitted after delivery at a discounted price.

Warranty: 5 Years on the Hull, 2 years on the rest of the ship's systems.

Berth place management possible on French or Italian Riviera as well as Spain (Mainland and Balearic Islands), As well Adriatic sea Croatia and Italian, Greece and Turkey. Azores islands Madeira (Free zone) Funchal Portugal.







yacht@abyacht.com

Whats App + 33 611 354 611 + 44 1414 160 507 Brokerage, New construction, Conversion, Refitting, management, Flag, Charter. Refit, Surveyor, Commercial vessel, Xbow commercial vessel.




Management and companies

Euro Flag Management, crew: Madeira Free zone Portugal, Malta, France, UK, Luxembourg, Italy.

Jorge Rodrigues: Madeira Portugal

+351 916 415 214 WhatsApp Email: jorgerodrigues-316m@adv.oa.pt

































































abyacht.com

Boats for sale

